

Quote Order

Date: _____

Sales Representative: _____

Dealer Name: _____

Address: _____

City: _____ State: _____ Zip: _____

Phone: _____ Fax: _____

Email: _____

 Shipping Method: Pick-Up Common Carrier
 Liftgate (VPLX0400 only) Flatbed/Forklift

Account Number: _____

Projected Close Date: _____

Purchase Order Number: _____

Ship To Address: _____

Contact: _____

Phone: _____

Opportunity Reference / Project Name: _____

APPLICATION

 VPL-R Residential

INSTALLATION


 OUTDOOR **INDOOR**

MODEL

 VPL400-X 4' Vertical Platform Lift (up to 53" lift height)

 Exact Lifting Height _____ inches
 (Mandatory) *Note: Measure from Inside Pit (measured from top landing to floor)*

TOWER CONFIGURATION

 VPL-LH Left hand **VPL-RH** Right hand


PLATFORM CONFIGURATION *(Note: must have folding ramp with 36"x 48"x 36" platform)*

 VPL-3648 36" x 48" x 36" straight through platform

 VPL-4254 42" x 54" x 42" straight through platform

 VPL-3654 36" x 54" x 42" straight through platform

 VPL-4260 42" x 60" x 42" straight through platform

 VPL-3660 36" x 60" x 42" straight through platform

 VPL-3654-90L 36" x 54" x 42" 90° left platform

 VPL-3654-90R 36" x 54" x 42" 90° right platform

 VPL-3660-90L 36" x 60" x 42" 90° left platform

 VPL-3660-90R 36" x 60" x 42" 90° right platform

 VPL-4254-90L 42" x 54" x 42" 90° left platform

 VPL-4254-90R 42" x 54" x 42" 90° right platform

 VPL-4260-90L 42" x 60" x 42" 90° left platform

 VPL-4260-90R 42" x 60" x 42" 90° right platform

PLATFORM OPTIONS


- | | |
|---|---|
| <input type="checkbox"/> VPL-065-36 36" auto-fold ramp | <input type="checkbox"/> VPL-060-36F 36" fixed ramp |
| <input type="checkbox"/> VPL-065-42 42" auto-fold ramp | <input type="checkbox"/> VPL-060-42F 42" fixed ramp |
| <input type="checkbox"/> VPL-013-54 54" handrail <i>(Not applicable for 36" x 48" x 36")</i> | <input type="checkbox"/> VPL-013-60 60" handrail <i>(Not applicable for 36" x 48" x 36")</i> |

PLATFORM GATES

- | | |
|---|--|
| <input type="checkbox"/> VPL-004-36L 36" x 42" platform gate with EMI interlock, left <i>(Not applicable for 36" tall side panels)</i> | <input type="checkbox"/> VPL-004-36R 36" x 42" platform gate with EMI interlock, right <i>(Not applicable for 36" tall side panels)</i> |
| <input type="checkbox"/> VPL-004-42L 42" x 42" platform gate with EMI interlock, left <i>(Not applicable for 36" tall side panels)</i> | <input type="checkbox"/> VPL-004-42R 42" x 42" platform gate with EMI interlock, right <i>(Not applicable for 36" tall side panels)</i> |

DOORS

- | |
|---|
| <input type="checkbox"/> ___ qty VPL-008-WR Wiring for interlocks provided by others |
| <input type="checkbox"/> ___ qty VPL-008L EMI interlock for left-hand door provided by others |
| <input type="checkbox"/> ___ qty VPL-008R EMI interlock for right-hand door provided by others |


LANDING GATES

- | |
|---|
| <input type="checkbox"/> VPL-003-36R 36" x 42" landing gate with EMI interlock, right |
| <input type="checkbox"/> VPL-003-36L 36" x 42" landing gate with EMI interlock, left |
| <input type="checkbox"/> VPL-003-42R 42" x 42" landing gate with EMI interlock, right |
| <input type="checkbox"/> VPL-003-42L 42" x 42" landing gate with EMI interlock, left |
| <input type="checkbox"/> VPL-003-CS Call/send rocker switch for landing gate |
| <input type="checkbox"/> VPL-003-CSK Call/send rocker switch with key for landing gate |

CONTROLS / SWITCHES

- | |
|--|
| <input type="checkbox"/> VPL-012-X Lighted e-stop with audible alarm <i>(for VPL400-X)</i> |
| <input type="checkbox"/> VPL-015K Keyed cab control |
| <input type="checkbox"/> ___ qty VPL-016 Call/send station control box, top/bottom <i>(each)</i> |
| <input type="checkbox"/> ___ qty VPL-016K Keyed call/send station control box, top/bottom <i>(each)</i> |
| <input type="checkbox"/> ___ qty VPL-CK Chicago key upgrade for keyed controls <i>(each)</i> |
| <input type="checkbox"/> VPL-KEY Spare key <i>(each)</i> |

FASCIA PANELS AND BRACES

<input type="checkbox"/> VPL-062	Tower brace with bracket	<input type="checkbox"/> VPL-347-24	Fascia panel 47" x 24"
<input type="checkbox"/> VPL-341-24	Fascia panel 41" x 24"	<input type="checkbox"/> VPL-347-53	Fascia panel 47" x 53"
<input type="checkbox"/> VPL-341-53	Fascia panel 41" x 53"	<input type="checkbox"/> VPL-347-CC	Fascia panel 47", custom cut to height _____ length to cut in inches
<input type="checkbox"/> VPL-341-CC	Fascia panel 41", custom cut to height _____ length to cut in inches		

SHIPPING OPTIONS

<input type="checkbox"/> VPL400-SS	4' shipping: Upright (VPL400-X only)
<input type="checkbox"/> VPL400-LD	4' shipping: Laid down (VPL400-X only)
<input type="checkbox"/> VPL400-URC	4' crated shipping: Upright
<input type="checkbox"/> VPL400-LDC	4' crated shipping: Laid down

DRAWING FOR APPROVAL

An application-specific drawing is requested and **production will be scheduled after return of signed approval drawing.**
Upcharge if lift is not ordered within 90-days of drawing submission.

DRAWING FOR PRESENTATION

An application-specific drawing is requested and **order will be scheduled immediately for production.**

NOTES: _____

ACKNOWLEDGMENT OF DEALER/PURCHASER RESPONSIBILITIES

The product you are about to order will be carefully inspected at the factory to assure every component is correct and undamaged. It ships F.O.B. Missouri, meaning it becomes the property of the receiver upon leaving our factory. Therefore it is incumbent on you, the receiver, to carefully inspect the package to assure it has been delivered in good order and is undamaged.

Before signing for the shipment, inspect the package carefully.

VISIBLE DAMAGE: You must note any visible damage on the freight bill. If product damage is obvious, we recommend a further immediate inspection to see what other damage may be concealed, and this also must be written on the freight bill.

CONCEALED DAMAGE: If no damage was immediately evident, but is found later (within 48 hours), stop what you are doing and call the freight company immediately to report concealed damage.

Pictures of the damage are a great support in any freight claim and are strongly recommended. Failure to take these steps may preclude your ability to be reimbursed for any damage in transit.

We have personnel available to assist with this process Monday – Friday, 7:30 am – 5:00 pm EST by calling **800-833-0478**.

CODE COMPLIANCE

Harmar Vertical Platform Lifts are designed to meet Safety standard ASME A18.1-2020 when properly equipped. It is the Dealer/Installer's responsibility to ensure compliance with Safety standard ASME A18.1-2020 as well as State and Local code requirements including electrical and building codes which do vary. Some jurisdictions require fees for site preparation and permits. Dealer acknowledges that their order will be installed in accordance with applicable national, state and local governance.

INSTALLATION COMPLIANCE

Harmar Vertical Platform Lifts should only be installed by a Certified Harmar Installer. Harmar provides specific training for its Vertical Platform Lifts at training@harmar.com. If the Vertical Platform Lift is installed by a non-certified, untrained installer, the purchaser and installer assume all responsibility for repair and replacement costs from issues that may arise involving improper installation.

Thank you for your business!



I have read and understand the above:

Print Name: _____

Signature: _____ Date: _____