

### HIGHLANDER II - VPL400-X

<b></b> a	uote 🔲 O	rder					
Date:				Acc	count Number:		
Sales Representative:			Projected Close Date:				
Dealer	r Name:			Purchase Order Number:			
Address:			Ship To Address:				
City:		State:	Zip:				
Phone	:	Fax:		Co	ntact:		
Email:				Pho	one:		
Shippii	ng 🔲 Pick	-Up	Common Carrier	Ор	portunity Referen	ce / Project Name:	
Metho	٠d٠ 🗖	rate (VPLX0400 only)	Flatbed/Forklift				
APPLI	CATION			INS	STALLATION		
X	<b>PL-R</b> Residentia	ıl			OUTDOOR	INDOOR	
MOI	DEL						
VPL400-X 4' Vertical Platform Lift (up to 53" lift height)				act Lifting Height andatory)		ure from Inside Pit from top landing to floor)	
TOV	VER CONF	IGURATION					
<b>□</b> vi	<b>PL-LH</b> Left hand	VPL-R	R <b>H</b> Right hand		LH	RH	Upper Landing
					•   · · · · · · · · · · · · · · · · · ·		Lower Landing
PLA	TFORM CO	ONFIGURATIO	<b>ON</b> (Note: must have foldi	ng ramp w	ith 36"x 48"x 36" p	latform)	
	VPL-3648	36" x 48" x 36" str	aight through platform		VPL-4254	42" x 54" x 42" stra	ight through platform
	VPL-3654	36" x 54" x 42" str	aight through platform		VPL-4260	42" x 60" x 42" stra	ight through platform
	VPL-3660	36" x 60" x 42" str	aight through platform				
	VPL-3654-90L	36" x 54" x 42" 90°	° left platform		VPL-3654-90R	36" x 54" x 42" 90°	right platform
	VPL-3660-90L	36" x 60" x 42" 90	° left platform		VPL-3660-90R	36" x 60" x 42" 90°	right platform
	VPL-4254-90L	42" x 54" x 42" 90	° left platform		VPL-4254-90R	42" x 54" x 42" 90°	right platform
	VPL-4260-90L	42" x 60" x 42" 90	° left platform		VPL-4260-90R	42" x 60" x 42" 90°	right platform
<u> </u>	VPL-4260-90L	42" x 60" x 42" 90	ert platform		VPL-4260-90R	42" X 60" X 42" 90°	rignt platform



HIGHLANDER II - VPL400-X

PLATFORM OPTIONS									
	VPL-065-36	<b>VPL-065-36</b> 36" auto-fold ramp			VPL-	060-36F	36" fixed ramp		
	VPL-065-42	- <b>065-42</b> 42" auto-fold ramp			VPL-	060-42F	42" fixed ramp		
	VPL-013-54	54" handra	ail (Not applicable for 36" x 48" x 36")		VPL-	013-60	60" handrail (No	ot applicable for 36" x 48" x 36")	
PLATFORM GATES									
	VPL-004-36L	36" x 42" platform gate with FMI interlock			VPL-	004-36R	36" x 42" platform gate with EMI interlock, right (Not applicable for 36" tall side panels)		
	VPL-004-42L		olatform gate with EMI interlock, oplicable for 36" tall side panels)		VPL-	004-42R		rm gate with EMI interlock, able for 36" tall side panels)	
DO	ORS								
	qty <b>VPL</b>	-008-WR	Wiring for interlocks provided b	y other	S	Platfo	rm Floor Surface	Platform Floor Surface	
	qty <b>VPL</b>	-008L	EMI interlock for left-hand door p	rovided			5		
	qty <b>VPL-008R</b> EMI interlock for right-hand door pr			provide	ed		Left Hand Swing	Right Hand Swing	
LANDING GATES									
	VPL-003-36R 36" x 42" landing gate with EMI interlock, right								
	VPL-003-36L 36" x 42" landing gate with EMI interlock, left								
	VPL-003-42R 42" x 42" landing gate with EMI interlock, right								
	VPL-003-42L 42" x 42" landing gate with EMI interlock, left								
	<b>VPL-003-CS</b> Call/send rocker switch for landing gate								
	VPL-003-CSK Call/send rocker switch with key for landing gate								
CONTROLS / SWITCHES									
VPL-012-X Lighted e-stop with audible alarm (for VPL400-X)									
	VPL-015K Keyed cab control								
qty <b>VPL-016</b> Call/send station control box, top/bottom (each)									
	qty <b>VPL-016K</b> Keyed call/send station control box, top/bottom (each)								
	qty <b>VPL-CK</b> Chicago key upgrade for keyed controls (each)								
	VPL-KEY Spare key (each)								



HIGHLANDER II — VPL400-X

FAS	SCIA PANE	ELS AND BRACES					
	VPL-062	Tower brace with bracket					
	VPL-341-24	Fascia panel 41" x 24"		VPL-347-24	Fascia panel 47" x 24"		
	VPL-341-53	Fascia panel 41" x 53"		VPL-347-53	Fascia panel 47" x 53"		
	VPL-341-CC	Fascia panel 41", custom cut to height length to cut in inches		VPL-347-CC	Fascia panel 47", custom cut to height length to cut in inches		
SHIPPING OPTIONS							
	VPL400-SS	SS 4' shipping: Upright (VPL400-X only)					
	VPL400-LD	4' shipping: Laid down (VPL400-X only)					
	VPL400-URC	4' crated shipping: Upright					
	VPL400-LDC	C 4' crated shipping: Laid down					
An ap	arge if lift is not o	APPROVAL  c drawing is requested and production will be scheduled ordered within 90-days of drawing submission.  PRESENTATION  c drawing is requested and order will be scheduled in		,			
		•			<del></del>		
NOTE	:5:						



HIGHI ANDER II - VPI 400-X

### **ACKNOWLEDGMENT OF DEALER/PURCHASER RESPONSIBILITIES**

The product you are about to order will be carefully inspected at the factory to assure every component is correct and undamaged. It ships F.O.B. Missouri, meaning it becomes the property of the receiver upon leaving our factory. Therefore it is incumbent on you, the receiver, to carefully inspect the package to assure it has been delivered in good order and is undamaged.

Before signing for the shipment, inspect the package carefully.

**VISIBLE DAMAGE:** You must note any visible damage on the freight bill. If product damage is obvious, we recommend a further immediate inspection to see what other damage may be concealed, and this also must be written on the freight bill.

**CONCEALED DAMAGE:** If no damage was immediately evident, but is found later (within 48 hours), stop what you are doing and call the freight company immediately to report concealed damage.

Pictures of the damage are a great support in any freight claim and are strongly recommended. Failure to take these steps may preclude your ability to be reimbursed for any damage in transit.

We have personnel available to assist with this process Monday – Friday, 7:30 am – 5:00 pm EST by calling 800-833-0478.

#### **CODE COMPLIANCE**

Harmar Vertical Platform Lifts are designed to meet Safety standard ASME A18.1-2020 when properly equipped. It is the Dealer/Installer's responsibility to ensure compliance with Safety standard ASME A18.1-2020 as well as State and Local code requirements including electrical and building codes which do vary. Some jurisdictions require fees for site preparation and permits. Dealer acknowledges that their order will be installed in accordance with applicable national, state and local governance.

#### INSTALLATION COMPLIANCE

Harmar Vertical Platform Lifts should only be installed by a Certified Harmar Installer. Harmar provides specific training for its Vertical Platform Lifts at training@harmar.com. If the Vertical Platform Lift is installed by a non-certified, untrained installer, the purchaser and installer assume all responsibility for repair and replacement costs from issues that may arise involving improper installation.

Thank you for your business!

<b>CHARMAR</b> We lift lives	
------------------------------	--

we lift lives				
I have read and understand the above:				
Print Name:				
Signature:	Date:			